

*CELLuShape*TM

**CAVITATION
VACUUM RF**

Body contouring and fat reduction



Product details

The first device combining **five technologies** in one machine for the optimal **body contouring**, **skin tightening** and **weight loss** treatments, to maximize your ROI!



Intuitive Interface

The system's user interface helps optimize treatments by offering both continuous and pulse modes.



Technology : Five different technologies including IR(infrared),RF(-Bi-polar radio frequency),Vacuum,Cavitation and Auto Roller Massage

Multi-treatments: Five technologies in one device to cover all face and body treatments

Handpiece : Five different treatment heads meet different functional and positional treatment needs



Handle cord: 2.0 meter treatment cord to reach all treatment areas

Principle

CelluShape

is the 4th edition of Kuma Shape series

A new and promising technology for non-surgical body contouring, fat and cellulite reduction, face neck lifting and eyes wrinkle removal. It is safe, effective with worldwide proved clinical efficacy.



- Infrared light(IR) heats the tissue up to 3 mm depth.
- Bi-polar radio frequency (RF) heats tissue up to ~15mm depth.
- Vacuum+/- massage mechanisms enable precise targeting of energy to the tissue.
- 40KHZ Cavitation target and destroy subcutaneous fat cells in the fat cell membrane.



Advantages

Machine Holder and roller design :

Humanized holder design and roller design, easy to move the machine during treatment




Foldable screen :

The foldable screen design can meet the needs of treatment under different conditions



Built-in filters on the side foreasy cleaning and save on going cost

Application




Before and After



Before After 6 weeks

Photos courtesy of Dr. Laura Johson, France



Before After 9 weeks

Photos courtesy of Dr. Kim Nuygen, USA



Before After 4 weeks

Photos courtesy of Dr. Silke Mark, Holland



Before After 8 weeks

Photos courtesy of Dr. Natasha Tang, Poland

Specification

Items	Specification
Pulse width	0.5s-7.5s
Negative pressure	10KPA-80KPA
Rev of roller	0-36 rpm
Working mode for roller	4 types
Frequency	1-10MHz
Laser power	MAX 20W
Cavitation	40KHz
Treatment area	4mmx7mm;8mmx25mm; 30mmx50mm;40mmx60mm
Rated input power	750VA
Mode of power supply	AC230V±10%,50Hz±1Hz/ AC110V±10%,60Hz±1Hz(Optional)
G.W.	62.8Kg,16.5Kg
Packing size	70*170*62cm,67*57*31cm



Add: A-4,Sinotrans Plaza,No.43 Xizhimen North
St,Beijing 100044 C
Tel: +86 18701341926
Web: www.sincoherengroup.com

